


	DOCUMENT NO:		SPEC-NOVAA	VER:	1.0
	NOVAA POWER SUPPLY, 370mAh NOVAA POD, 0.5/1.0ml				EFFECTIVE DATE: 04/12/19
APPROVAL:	RD-101	VAPEEZ PN(s):	NOVAA; XX - Branding		PAGE 1 OF 3




**Description:** Automatic fill does pod system

**Features:**

- NEXCORE Technology atomizer – heating element embedded in porous ceramic
- Leak proof cap-on mouthpiece
- Magnetic connection to NOVAA Power Supply
- Operational viscosity range up to 110,000 cPs

	DOCUMENT NO:		SPEC-NOVAA	VER:	1.0
	NOVAA POWER SUPPLY, 370mAh NOVAA POD, 0.5/1.0ml				EFFECTIVE DATE: 04/12/19
APPROVAL:	RD-101	VAPEEZ PN(s):	NOVAA; XX - Branding		PAGE 2 OF 3

Specifications		
Internal Volume	Gross	0.55 ml, 1.10 ml
	Max. fill volume	0.50 ml, 1.0 ml
Atomizer Resistance	1.5 $\Omega$	
Battery Capacity	370 mAh	
Maximum Viscosity	110,000 cPs	
Weight, empty with Mouthpiece	6.2 $\pm$ 0.2 grams	
Wetted Materials	Housing and mouthpiece	PCTG
	Mouthpiece	PCTG
	Battery Outfit	Aluminium Alloy
	Sleeve	SS
	Electrode	Orichalum plating
	Airway tube	SUS304 stainless steel
	Heating element	FeCrAL
	Wick	Ceramic
	Atomizer retaining wrap	Cotton
	Seals	Silicone
Branding Options	Available with MOQ	

	DOCUMENT NO:		SPEC-NOVAA	VER:	1.0
	NOVAA POWER SUPPLY, 370mAh NOVAA POD, 0.5/1.0ml				EFFECTIVE DATE: 04/12/19
APPROVAL:	ECO-101	VAPEEZ PN(s):	NOVAA; XX - Branding		PAGE 3 OF 3

## NEXCORE NOVAA PODS Filling Instruction

1. Insert a blunt tipped needle (14 ga. Or smaller) into the two sides holes.

- \* Do not over fill or allow oil to enter the center airway.
- \* Do not fill from the center hole, which is for air-flow.
- \* Suggest you fill when the temperature of the oil is 50°C to 60°C.

2. Install the mouthpiece immediately after filling.

- \* Failure to install the mouthpiece within 30 seconds of filling may result in leakage.

3. Pod should be allowed to stand for at least 2 minutes before use. During this time, fluid is infiltrating the atomizer. The rate at which the liquid infiltrates the atomizer depends on the viscosity of the liquid. The more viscous the liquid is, the longer it takes.

For technical assistance, please contact:

[support@myvapeez.com](mailto:support@myvapeez.com)

